



EC Declaration of Conformity

Date of issue : March. 2009

Manufacturer : Fuji Electric FA Components & Systems Co., Ltd.

Address : 1-5-45 Minami, Konosu-shi, Saitama-ken, Japan

Product : Molded Case Circuit Breaker
Handle Operating Mechanism
Accessories

Model/Type : BW250EAGU*, BW250JAGU*, BW250RAGU*
(* : refer to the attached list about application model)

This is to certify that the aforementioned product fully conforms to the protection requirements of the following EC Council Directives on the approximation of the laws of the member states relating to :


<u>Applicable Directive</u>	<u>Title</u>
2006/95/EC	Low-voltage Directive

and conforms to the following EN Standard.

<u>Applicable Standard</u>	<u>Title</u>
EN60947-2 (2006)	Specification for low-voltage switchgear and controlgear Part 2: Circuit -breakers

Year of affixing CE marking : 07

Manufacturer


KATSUNORI KUBOYAMA
Senior Manager
Development Department
Fuji Electric FA Components & Systems Co., Ltd.



Application Model Explanation

1. Molded Case Circuit Breakers (BWseries)

BW	*	*	*	-	*	*
	1	2	3		4	5

Position	Description of position	Number	Description of application
1	Frame size	250	Ampere frame
2	Breaking capacity	EAG JAG RAG	Low breaking capacity Middle breaking capacity High breaking capacity
3	Kind of series	U	U series
4	Number of Poles	2P 3P	2 Poles 3 Poles
5	Rated current	125 150 160 175 200 225 250	125A 150A 160A 175A 200A 225A 250A



Application Model Explanation

2. Accessories (BW9series)

BW9	*	*	*	*	*
	1	2	3	4	5

Kind of accessories	Position				
	1	2	3	4	5
Handle operating mechanism	V or N	0GA	Blank	Blank	Blank
Auxiliary switches and Alarm switches	W1, K1 or WK	S or D	G0	Blank or -R	Blank
Shunt release	F	R, S, A, 1, K, B, P, H or J	G0	Blank	Blank
Under voltage release	R	G	A	R, S, L, 5, A, T, K B, P, or H,	
Earth leakage alarm switch	L1	S	G0	Blank	Blank
Padlocking devise	Q	1 or 2	C or G	A	Blank
Terminal cover	BT	GA	-L or -C	3	Blank or W